

## 15 Plafo>The LED Panel Plafo Square

## 62130AF/W/W



30W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	15 Plafo
Family	The LED Panel Plafo Square
Order Code	62130AF/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	300mm
Width	300mm
Height	39mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

30W

IP Rating

IP40

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

1000mA

Voltage

28V

Safety Class



Power(Watts)

28W

IP Rating

IP40

Light Source

LED built in

LED Type

SMD 2016

LED Brand

Sanan

F Mark



Gear

Gear Type

Led Driver

Input Voltage


220-240V

50 Hz


Yes

60 Hz

Yes

Power(Watts)	18-28W
Power Factor	0,9
Constant Current	Yes
1000mA	18-28V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Manufacturer	KEGU

#### Illumination Data

Colour Temperature	3000K
Lumen Output	1957lm
Light Efficiency	72,46lm/W
CRI	80
Illumination Diagram	

#### Packing Info

Box Length	32cm
Box Width	31,5cm
Box Height	4,5cm
Box Weight	2,2kg
Pcs/Carton	10
Barcode	5291889035923
HS Code	9405409900

#### Energy Label



## Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

**one**  
LIGHT

