



Product Datasheet

15 Plafo>The LED Decorative Plafo Round

62132N/W/W



32W LED Decorative Plafo, IP20, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Physical Specification

Item Group	15 Plafo
Family	The LED Decorative Plafo Round
Order Code	62132N/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	132mm
Diameter	455mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	32W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	750mA
Voltage	40V
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	20-31,5W

Power Factor	0,9
Constant Current	Yes
750mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud
Illumination Data	
Colour Temperature	3000K
Lumen Output	2720lm
Light Efficiency	85lm/W
CRI	80
Illumination Diagram	
Packing Info	
Pcs/Carton	1
Barcode	5291889046790
HS Code	9405409900
Energy Label	
ENERG* ONE Light Ltd 62132N/W/W A B C D E F F G 32 kWh/1000h	

Certification & Warranty

Warranty	3 Years
Average Lifetime	30000hours
Weee Directive	Yes



