

14 Wall & Ceiling LED>Reading Spots Aluminium

65738A/W/W



3W COB LED bedside adjustable fitting ideal for room hotel installation, IP20.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Reading Spots Aluminium
Order Code	65738A/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	200mm
Diameter	80mm
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions

Gear

Built In

Fitting + Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

3W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

700mA

Voltage

4V

Safety Class



Power(Watts)

2,8W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Lumileds

Gear

Gear Type

Led Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz


Yes

Power(Watts)

1,4-2,8W

Power Factor	0,5
Constant Current	Yes
700mA	2-4v
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Eaglerise

Illumination Data

Colour Temperature	3000K
Lumen Output	160lm
Light Efficiency	53,33lm/W
CRI	85
Beam Angle	36°
Illumination Diagram	

Packing Info

Box Length	18,5cm
Box Width	18,5cm
Box Height	8,5cm
Box Weight	0,46Kg
Pcs/Carton	24
Barcode	5291889049814
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

