



14 Wall & Ceiling LED>Outdoor Wall Up & Down Lights

67362C/AN/W



9W LED wall light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions






Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Outdoor Wall Up & Down Lights
Order Code	67362C/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	207mm
Width	110mm
Height	60mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Adjustable	No
------------	----


Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x4,5W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	25V
Power(Watts)	8,5W
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 3014
LED Brand	Edison
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz
Power(Watts)
Power Factor
Constant Current
350mA
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal
Brand

Yes
6-9,1W
0,9
Yes
17-26V
IP20

No
Plastic
Cable
Eaglerise

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K
2x315lm
70lm/W
80


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

14cm
7cm
22,5cm
0,9kg
12
5291889043782
9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
one light!

