



Product Datasheet

20 Garden & Underwater>LED Garden Path Lights Die Cast

67470A/B/W



10W LED Bollard, IP65 for Garden illumination.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Physical Specification

Item Group	20 Garden & Underwater
Family	LED Garden Path Lights Die Cast
Order Code	67470A/B/W
Colour	Black
Material	Die Cast
Diffuser Material	PC
Shape	Rectangular
Length	120mm
Width	80mm
Height	800mm
Surface Ceiling	Yes
Surface Wall	Yes

Surface Floor/Ground	Yes
Outdoor	Yes
Adjustable	No
IK Rating	10
lectrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	250mA
Voltage	38V
Power(Watts)	9,8W
IP Rating	IP65
Light Source	LED built in
LED Brand	Osram
Gear	
Gear Type	Led Driver
Input Voltage	100-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	4,2-6,3W
Power Factor	0,9
Constant Current	Yes
250mA	30-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Illumination Data	
Colour Temperature	3000K
Lumen Output	500lm
	50lm/W
Light Efficiency CRI	80
Illumination Diagram	
Packing Info	
Pcs/Carton	6
Barcode	5291889061694
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



